




NHI zoetzout



Gualbert Oude Essink
zoetzout.deltares.nl



1. Inleiding
2. Activiteiten tot nu toe
3. Plan van aanpak 2013-



Logos for ALTERRA, Deltires, PBL, and stowa.













Activiteiten tot nu toe

1. 2009: Modelopzet NHI zoet-zout
 - geologie: versie 2.0
 - code MOCDENS3D (~SEAWAT)
2. 2009: eerste schatting initiele zoetzout verdeling
3. 2010: doorekenen KNMI06 klimaatscenarios
4. 2011: implementatie zoute wellen
5. 2012: start implementatie regionale modellen
6. 2012: verschil met en zonder zoet-zout

Deltares

NHIZoetzout

20120606

2009: Waarom MOCDENS3D? Redenen:	
<ul style="list-style-type: none"> • Proven technology for large-scale domains • Alternatives such as SEAWAT or SWI were not proven technology! • Can cope with large-scale domains and long simulation times (100yrs) within reasonable computation times • Can consider: <ul style="list-style-type: none"> • instable salt-fresh inversion • hydrodynamic dispersion (for long-term simulations) • salt loads to surface water system • Fully consistent with modelling approach NHI-kwaliteit • 13 years of experience in modelling salt water intrusion with MOCDENS3D • Published 3D cases in numerous peer-reviewed journals, e.g. <ul style="list-style-type: none"> • Netherlands Journal of Geosciences, 2012 • Hydrogeology, 2006, 2007 • Hydrol. Earth Syst. Sci. Discuss., 2011, 2012 • Water Resour. Res. 2010 • J. of Hydrol. 2007 • Transport in Porous Media, 2001 <p>check a.o. publications on zoetzout.deltares.nl</p>	

Deltares

NHIZoetzout

20120606

Modelling of salt water intrusion with MOCDENS3D

Characteristics:

- variable-density groundwater
- fresh, brackish and saline
- 3D, non-steady
- coupled solute transport
- heat transport

Assess combined effects:

- past land subsidence polders
- sea level rise
- changing recharge pattern
- land subsidence
- changing extraction rates
- adaption measures

Software (MODFLOW family):

MOCDENS3D, ~SEAWAT
MT3D, iMOD, link NHI, etc.



NHIzoetzout 20120606



NHIzz tevens gebruikt bij:



- Klimaateffecten studie PBL
- Klimaatbestendig NL Waterland
- Klimaateffectatlas
- Interreg IV-B CliWat
- Metastudie ZWD
- DP IJsselmeergebied (zoutvracht bij hoger peil)
- DP ZW Knelpuntenanalyse 2.0
- DP ZWD Effect ecologie (Alterra) kwetsbaarheid regenwaterlenzen



NHIzoetzout 20120606

Deltares












We hebben ook kaarten voor alleen kwel en alleen infiltratie...

NHlzoetzout 20120606

Deltares






Plan van Aanpak

NHIzoetzout 20120606

Deltares







Plan van Aanpak



- NHI zoetzout integreren in NHI versie 3.1
- Verbeteren initiele zoet-zout verdeling
 - Check huidige verdeling
 - Gebruikmaken van regionale kennis zoet-zout
 - Implementatie deelmodellen ZL, PZH, FL, FR
- SEAWAT v4:
 - NHI versie 3.0/3.1
 - MOCDEN3D schematisatie a la SEAWAT
 - Parallisatie code a la NHI kwaliteit
- Samenwerking met NHI Kwaliteit







NHIzoetzout 20120606














Deltares

NH IJmuiden

20120606